

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	133	kernel adj mode same user adj mode same server same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L3	87	kernel adj mode same user adj mode same server same client same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L4	3	((kernel adj mode) or os or (operating adj system) or driver) same compare near (hierarch\$5 or url or path) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L5	230	compare near3 (hierarch\$5 or url or path) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L6	14	((((kernel adj mode) or kernel?mode) or os or (operating adj system) or driver) same compare near (hierarch \$5 or url or path) and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L7	32	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same compare) same ((hierarch\$4 adj identifier) or path or url))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37

L8	9	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L9	12	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L10	38	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) and (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link))) and (identif\$4 adj (process or application or program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L11	8	(client same server) and ((compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) same (identif\$4 near (process or application or program)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L12	90	(client same server) same (compare near3 ((hierarch\$4 adj identifier) or path or url or hyperlink or link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37

L13	16	((kernel adj mode) or kernel?mode) or (operating adj system) or driver) same compare near (hierarch \$5 or url or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L14	62	((kernel adj mode) or kernel?mode) same (web?server or (web adj server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L17	133	kernel adj mode same user adj mode same server same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L18	87	kernel adj mode same user adj mode same server same client same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L19	3	((kernel adj mode) or os or (operating adj system) or driver) same compare near (hierarch\$5 or url or path) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L20	230	compare near3 (hierarch\$5 or url or path) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L21	14	((kernel adj mode) or kernel?mode) or os or (operating adj system) or driver) same compare near (hierarch \$5 or url or path) and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L22	32	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same compare) same ((hierarch\$4 adj identifier) or path or url))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37

L23	9	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L24	12	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L25	38	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) and (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link))) and (identif\$4 adj (process or application or program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L26	8	(client same server) and ((compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) same (identif\$4 near (process or application or program)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L27	90	(client same server) same (compare near3 ((hierarch\$4 adj identifier) or path or url or hyperlink or link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37

L28	16	((kernel adj mode) or kernel?mode) or (operating adj system) or driver) same compare near (hierarch\$5 or url or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L29	62	((kernel adj mode) or kernel?mode) same (web?server or (web adj server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L30	100	compare near3 (hierarch\$5 or url or path) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L31	1	compare near3 (hierarch\$5 or url or path) with request same extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L32	55	compare near3 (hierarch\$5 or url or path) near5 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L33	5	("4914619" "5230069" "5555385" "5692193" "5928323").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/16 14:37
L39	12	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L40	3	(709/203,217.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37

L41	52	(709/203,217.ccls.) and (compar\$3 with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L42	190	(709/203,217.ccls.) and ((compar\$3 match \$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L43	2708	((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L44	18	((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) with request with (servlet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L45	195	(709/203,217.ccls. or 718/100.ccls.) and ((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L46	4	(709/203,217.ccls. or 718/100.ccls.) and ((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) with request with handl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L47	147	(709/203,217.ccls. or 718/100.ccls.) and ((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or url or hyperlink)) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37

L48	3	(709/203,217.ccls. or 718/100.ccls.) and ((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink)) with request with handl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L49	167	(709/203,217.ccls. or 718/100.ccls.) and ((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink)) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L50	20	(709/203,217.ccls. or 718/100.ccls.) and ((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink)) with request with (servlet process application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L51	14	(709/203,217.ccls. or 718/100.ccls.) and ((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink)) with request with (servlet process application)	US-PGPUB	OR	ON	2008/05/16 14:37
L52	124	((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink)) with request with (servlet process application)	US-PGPUB	OR	ON	2008/05/16 14:37
L54	133	kernel adj mode same user adj mode same server same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L55	87	kernel adj mode same user adj mode same server same client same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37

L56	3	((kernel adj mode) or os or (operating adj system) or driver) same compare near (hierarch\$5 or url or path) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L57	230	compare near3 (hierarch\$5 or url or path) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L58	14	((((kernel adj mode) or kernel?mode) or os or (operating adj system) or driver) same compare near (hierarch\$5 or url or path) and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L59	32	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same compare) same ((hierarch\$4 adj identifier) or path or url))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L60	9	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L61	12	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37

L62	38	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) and (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link))) and (identif\$4 adj (process or application or program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L63	8	(client same server) and ((compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) same (identif\$4 near (process or application or program)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L64	90	(client same server) same (compare near3 ((hierarch\$4 adj identifier) or path or url or hyperlink or link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L65	16	(((kernel adj mode) or kernel?mode) or (operating adj system) or driver) same compare near (hierarch \$5 or url or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L66	62	(((kernel adj mode) or kernel?mode) same (web?server or (web adj server)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L68	133	kernel adj mode same user adj mode same server same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L69	87	kernel adj mode same user adj mode same server same client same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37

L70	3	((kernel adj mode) or os or (operating adj system) or driver) same compare near (hierarch\$5 or url or path) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L71	230	compare near3 (hierarch\$5 or url or path) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L72	14	((((kernel adj mode) or kernel?mode) or os or (operating adj system) or driver) same compare near (hierarch \$5 or url or path) and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L73	32	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same compare) same ((hierarch\$4 adj identifier) or path or url))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L74	9	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L75	12	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37

L76	38	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) and (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link))) and (identif\$4 adj (process or application or program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L77	8	(client same server) and ((compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) same (identif\$4 near (process or application or program)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L78	90	(client same server) same (compare near3 ((hierarch\$4 adj identifier) or path or url or hyperlink or link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L79	16	((((kernel adj mode) or kernel?mode) or (operating adj system) or driver) same compare near (hierarch \$5 or url or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L80	62	((kernel adj mode) or kernel?mode) same (web?server or (web adj server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L81	100	compare near3 (hierarch\$5 or url or path) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L82	1	compare near3 (hierarch\$5 or url or path) with request same extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37

L83	55	compare near3 (hierarch\$5 or url or path) near5 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L84	5	("4914619" "5230069" "5555385" "5692193" "5928323").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/16 14:37
L85	12	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L86	3	(709/203,217.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L87	52	(709/203,217.ccls.) and (compar\$3 with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 14:37
L88	8	("5535322" "5590266" "5845280" "5878408" "5920867" "5920873" "6023702" "6067580"). pn.	USPAT	OR	ON	2008/05/16 14:47
L89	9	("6094654" "6223207" "6289458" "6327594" "6389421" "6604106" "7028091" "7028312" "7257819").pn.	USPAT	OR	ON	2008/05/16 14:48

L90	11	"20020083214" "20030005122" "20030182400" "20040068479" "20070199001" "20070204279"	US-PGPUB; USPAT	OR	ON	2008/05/16 14:49
-----	----	--	--------------------	----	----	---------------------

5/ 16/ 08 3:56:48 PM

C:\Documents and Settings\qwu\My Documents\EAST\Workspaces
\09878950routingserverrequestbasedonURL.wsp